



LEGEND

- SS ——— PROPOSED SEWER LINE
- W ——— PROPOSED WATER LINE
- E ——— PROPOSED ELECTRICAL LINE
- W(P) ——— EXISTING WATER LINE
- 8" SS ——— EXISTING SEWER LINE
- E(P) ——— EXISTING ELECTRICAL LINE
- ABANDONED UTILITIES LINE

GENERAL NOTES

1. CONTRACTOR SHALL OBTAIN PERMIT FOR SEWER AND WATER CONNECTIONS FROM COUNTY OF LOS ANGELES AND LAS VIRGINES WATER DISTRICT AND PAY FOR ALL APPLICABLE PERMITS AND FEES.
2. CONTRACTOR SHALL FLUSH ALL WATER SERVICE LINES BEFORE FINAL CONNECTION.
3. CONTRACTOR SHALL BE RESPONSIBLE FOR ALL FINAL CONNECTIONS FOR WATER, SEWER, AND ELECTRICAL AT THE EXTERIOR OF THE RESTROOM BUILDING.
4. CONTRACTOR SHALL PROVIDE POC FOR WATER, POC AND CLEAN OUT FOR SEWER, AND ELECTRICAL SCHEDULE 80 PVC SLEEVE AT THE EXTERIOR POC.
5. CONTRACTOR SHALL PROVIDE STUBOUTS FOR ALL UTILITY CONNECTIONS AND COORDINATE WITH THE BUILDING PROVIDER FOR ALL INTERIOR BUILDING UTILITY CONNECTIONS AND MAKE THE EXTERIOR CONNECTIONS TO POC SERVICES.
6. CONTRACTOR SHALL CONDUCT WATER PRESSURE TEST PRIOR TO CONSTRUCTION TO ACHIEVE MINIMUM FLOW RATE AND STATIC PRESSURE OF 60 PSI AND A MINIMUM OF 40 PSI. CONTRACTOR SHALL BE RESPONSIBLE FOR WATER SERVICE CHLORINATION AT PROJECT COMPLETION.
7. CONTRACTOR SHALL COORDINATE WITH BUILDING MANUFACTURER TO CONFIRM ALL INTERIOR UTILITY CONNECTIONS TO RESTROOM BUILDING ARE INSTALLED AND WORKING PROPERLY WITH NO LEAKS AFTER COMPLETE INSTALLATION OF RESTROOM BUILDING.

DOMESTIC WATER

- W1 HOT TAP EXISTING WATER MAIN. COORDINATE TAP WITH LOCAL WATER PURVEYOR.
- W2 INSTALL 2" SCH 40 PVC DOMESTIC WATER PIPE.
- W3 INSTALL DOMESTIC WATER METER FOR 2" WATER PIPE. COORDINATE WITH LOCAL WATER PURVEYOR. SEE GENERAL NOTES HEREON.
- W4 WATER LINE BY LOCAL WATER PURVEYOR.
- W5 RELOCATED IRRIGATION METER 6" FROM ADJACENT HARDSCAPE. CONTRACTOR TO REESTABLISH UTILITY CONNECTIONS AND ENSURE UTILITY IS WORKING PROPERLY.
- W7 DOMESTIC WATER METER POINT OF CONNECTION
- W8 INSTALL 2" WATER BACKFLOW PREVENTER. COORDINATE INSTALLATION WITH LOCAL WATER PURVEYOR.

SEWER




- S1 SEWER BUILDING POINT OF CONNECTION.
- S2 TRENCH AND INSTALL 4" SDR-35 PVC SEWER LINE. SEWER LINE SHALL USE RUBBER RING JOINTS (ASTM 3034) OR APPROVED EQUAL. BEDDING PER DETAIL 3 ON SHEET 8. CONTRACTOR SHALL COORDINATE WITH THE CITY PRIOR TO TRENCH AND COORDINATE WITH CITY ARBORIST FOR TREE ROOT PROTECTION.
- S3 INSTALL SEWER CLEANOUT PER SPPWC STD PLAN 204-3. CONSTRUCT SEWER HOUSE CONNECTION PER SPPWC STD PLAN 222-2. SEE DETAIL 6 ON SHEET 8 AND DETAIL 2 ON SHEET 9. SIZE SHALL BE EQUAL TO PIPE SIZE.
- S4 CONNECT TO EXISTING SEWER LINE PER SPPWC STD PLAN 332-2. CONTRACTOR SHALL JOIN EXISTING SEWER AT THE EXISTING INVERT ELEVATION. CONTRACTOR SHALL VERIFY EXISTING INVERT ELEVATION. SEE GENERAL NOTES HEREON. SEE DETAIL 1 ON SHEET 9.

ELECTRICAL

- Z1 ELECTRICAL CONDUIT PER ELECTRICAL PLANS ON SHEET 10.
- Z2 ELECTRICAL METER PER ELECTRICAL PLANS ON SHEET 10.
- Z3 ELECTRICAL HAND HOLE PER ELECTRICAL PLANS ON SHEET 10.
- Z4 ELECTRICAL POINT OF CONNECTION PER ELECTRICAL PLANS ON SHEET 10.

EXISTING UTILITY NOTE

THE EXISTING UTILITIES SHOWN ON THE PLAN ARE BASED ON AVAILABLE RECORDS. THE CONTRACTOR MUST FIELD DETERMINE THE LOCATION AND DEPTH OF ALL UTILITIES PRIOR TO ANY CONSTRUCTION. REPORT DISCREPANCIES AND POTENTIAL CONFLICTS WITH PROPOSED UTILITIES TO DESIGN ENGINEER PRIOR TO INSTALLATION OF ANY PIPING.



100% FINAL DESIGN

REVISION #	SYMBOL	DESCRIPTION OF CHANGE	APPROVED	DATE
	△	ADDENDUM 1		3-18-2024

PREPARED BY AND/OR UNDER THE SUPERVISION OF:

SRI CHAKRAVARTHY, P.E.
 5/3/2024 DATE

Kimley»Horn
 © 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 660 S. FIGUEROA STREET, SUITE 2050, LOS ANGELES, CA 90017
 PHONE: 213-261-4040
 WWW.KIMLEY-HORN.COM

CITY OF AGOURA HILLS APPROVAL

JESSICA FORTE, P.E.
 CITY ENGINEER
 7/30/24 DATE
 80486 RCE NO.
 3/31/24 EXP. DATE



CHUMASH PARK ADA PATH OF TRAVEL IMPROVEMENTS
COMPOSITE UTILITY PLAN
 SHEET 6 OF 10
 CITY OF AGOURA HILLS DWG. NO. 1118-24-04